

## 1. Identification

|   |  |
|---|--|
| <b>Product identifier</b>                                     | <b>Evap-Fresh No Rinse Evaporator Cleaner &amp; Disinfectant (4166-75)</b> |
| <b>Other means of identification</b>                          | Not available.   |
| <b>Recommended use</b>  | Cleaner / Disinfectant / Mildewstat / Deodorizer                           |
| <b>Recommended restrictions</b>                               | None known.  |
| <b>Manufacturer/Importer/Supplier/Distributor information</b> |  |
| <b>Manufacturer</b>   |  |
| <b>Company name</b>   | Nu-Calgon  |
| <b>Address</b>  | 2611 Schuetz Road<br>St. Louis, MO 63043<br>United States                  |
| <b>Telephone</b>  | 314-469-7000 / 800-554-5499  |
| <b>E-mail</b>   | Not available.   |
| <b>Emergency phone number</b>                                 | 1-800-424-9300 (CHEMTREC)  |
| <b>Supplier</b>   | See above.   |

## 2. Hazard identification

|                                   |   |               |
|-----------------------------------|---|---------------|
| <b>Physical hazards</b>           | Gases under pressure                              | Liquefied gas |
| <b>Health hazards</b>             | Serious eye damage/eye irritation                 | Category 2    |
|                                   | Specific target organ toxicity, repeated exposure | Category 2    |
| <b>Environmental hazards</b>      | Not classified.                                   |               |
| <b>WHMIS 2015 defined hazards</b> | Not classified                                    |               |
| <b>Label elements</b>             |   |               |



|  |   |
|--|---|
| <b>Signal word</b>   | Warning   |
| <b>Hazard statement</b>  | Contains gas under pressure; may explode if heated. Causes serious eye irritation. May cause damage to organs through prolonged or repeated exposure.   |
| <b>Precautionary statement</b>   |   |
| <b>Prevention</b>  | Wash thoroughly after handling. Wear eye protection. Do not breathe mist or vapor.  |
| <b>Response</b>  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention. Get medical attention if you feel unwell. |
| <b>Storage</b>   | Protect from sunlight. Store in a well-ventilated place.  |
| <b>Disposal</b>  | Dispose of container in accordance with local, regional, national and international regulations.  |
| <b>WHMIS 2015: Health Hazard(s) not otherwise classified (HHNOC)</b>   | None known  |
| <b>WHMIS 2015: Physical Hazard(s) not otherwise classified (PHNOC)</b> | None known  |
| <b>Hazard(s) not otherwise classified (HNOC)</b>                       | None known.   |

**Supplemental information**

US: This is a registered EPA product. The product labeling is in compliance with EPA regulations and guidelines.

EPA Reg. # 1839-84-65516

**CANADA:**

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

Exempt - Registered product - (DIN Pending).

---

### 3. Composition/Information on ingredients

---

**Mixture**

| Chemical name   | Common name and synonyms | CAS number | %    |
|---|--------------------------|------------|------|
| Petroleum gases, liquefied, sweetened   |                          | 68476-86-8 | 5-10 |
| Diethylene glycol monobutyl ether   |                          | 112-34-5   | 1-5  |
| Tetrasodium ethylenediamine tetraacetate                                      |                          | 64-02-8    | 1-5  |
| n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides |                          | 68391-01-5 | 0.1  |
| n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides            |                          | 85409-23-0 | 0.1  |

**Composition comments** Not applicable to EPA registered products. Not applicable to DIN products. Refer to product label for active ingredient content.

---

### 4. First-aid measures

---

|   |   |
|---|---|
| <b>Inhalation</b>   | IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.   |
| <b>Skin contact</b>   | IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.   |
| <b>Eye contact</b>  | IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then, continue rinsing eye. Call a poison control center or doctor for treatment advice.   |
| <b>Ingestion</b>  | IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. DO NOT induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. |
| <b>Most important symptoms/effects, acute and delayed</b>                     | Symptoms may include stinging, tearing, redness, swelling, and blurred vision.  |
| <b>Indication of immediate medical attention and special treatment needed</b> | Probable mucosal damage may contraindicate the use of gastric lavage.   |
| <b>General information</b>  | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves.   |

---

### 5. Fire-fighting measures

---

|  |  |
|--|--|
| <b>Suitable extinguishing media</b>                                  | Alcohol resistant foam. Carbon dioxide. Dry chemical.  |
| <b>Unsuitable extinguishing media</b>                                | Do not use water jet.  |
| <b>Specific hazards arising from the chemical</b>                    | Contents under pressure.   |
| <b>Special protective equipment and precautions for firefighters</b> | Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.   |
| <b>Fire-fighting equipment/instructions</b>                          | In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Use water spray to cool unopened containers. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. |

|                                      |  |
|--------------------------------------|--|
| <b>Specific methods</b>              | Cool containers exposed to flames with water until well after the fire is out.               |
| <b>Hazardous combustion products</b> | May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen chloride. |

---

## 6. Accidental release measures

---

|  |   |
|--|---|
| <b>Personal precautions, protective equipment and emergency procedures</b> | Keep unnecessary personnel away. Keep out of low areas. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.   |
| <b>Methods and materials for containment and cleaning up</b>               | Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Isolate area until gas has dispersed. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. |
| <b>Environmental precautions</b>   | Avoid discharge into drains, water courses or onto the ground.  |

---

## 7. Handling and storage

---

|   |  |
|---|--|
| <b>Precautions for safe handling</b>                                | Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid contact with eyes, skin and clothing. |
| <b>Conditions for safe storage, including any incompatibilities</b> | Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Protect from sunlight. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).  |

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PESTICIDE STORAGE - Store in a dry place no lower in temperature than 50°F or higher than 120°F.

---

## 8. Exposure controls/Personal protection

---

### Occupational exposure limits

#### Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act)

| Components                                       | Type | Value  | Form                          |
|--|------|--------|-------------------------------|
| Diethylene glycol monobutyl ether (CAS 112-34-5) | TWA  | 10 ppm | Inhalable fraction and vapor. |

#### Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents)

| Components                                       | Type | Value  | Form                          |
|--|------|--------|-------------------------------|
| Diethylene glycol monobutyl ether (CAS 112-34-5) | TWA  | 10 ppm | Inhalable fraction and vapor. |

#### US. ACGIH Threshold Limit Values

| Components                                       | Type | Value  | Form                          |
|--|------|--------|-------------------------------|
| Diethylene glycol monobutyl ether (CAS 112-34-5) | TWA  | 10 ppm | Inhalable fraction and vapor. |

|  |   |
|--|---|
| <b>Biological limit values</b>   | No biological exposure limits noted for the ingredient(s).  |
| <b>Appropriate engineering controls</b>                                      | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. |
| <b>Individual protection measures, such as personal protective equipment</b> |   |
| <b>Eye/face protection</b>   | Wear safety glasses with side shields (or goggles).   |
| <b>Skin protection</b>   |   |
| <b>Hand protection</b>   | Impervious gloves. Confirm with reputable supplier first.   |
| <b>Other</b>   | Wear suitable protective clothing.  |
| <b>Respiratory protection</b>  | Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).  |

|                                       |  |
|---------------------------------------|--|
| <b>Thermal hazards</b>                | Not applicable.  |
| <b>General hygiene considerations</b> | When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. |

---

## 9. Physical and chemical properties

---

|   |  |
|---|--|
| <b>Appearance</b>                                   | Spray  |
| <b>Physical state</b>                               | Gas Liquid under pressure via propellant.  |
| <b>Form</b>   | Aerosol. Liquefied gas.  |
| <b>Color</b>  | Light yellow   |
| <b>Odor</b>   | Lemon  |
| <b>Odor threshold</b>                               | Not available.   |
| <b>pH</b>   | Not available.   |
| <b>Melting point/freezing point</b>                 | Not available.   |
| <b>Initial boiling point and boiling range</b>      | Not available.   |
| <b>Pour point</b>                                   | Not available.   |
| <b>Specific gravity</b>                             | Not available.   |
| <b>Partition coefficient (n-octanol/water)</b>      | Not available.   |
| <b>Flash point</b>                                  | Not available.   |
| <b>Evaporation rate</b>                             | Not available.   |
| <b>Flammability (solid, gas)</b>                    | The finished product is not expected to be flammable as per test data.<br><br>UN Manual of Tests & Criteria, Part 3, Section 31.5 - Enclosed Space Ignition Test<br>Non-flammable. Did not ignite.<br><br>No ignition distance.<br><br>No flashback. |
| <b>Upper/lower flammability or explosive limits</b> |  |
| <b>Flammability limit - lower (%)</b>               | Not available.   |
| <b>Flammability limit - upper (%)</b>               | Not available.   |
| <b>Explosive limit - lower (%)</b>                  | Not available.   |
| <b>Explosive limit - upper (%)</b>                  | Not available.   |
| <b>Vapor pressure</b>                               | 55.17 PSIG @ 70°F  |
| <b>Vapor density</b>                                | Not available.   |
| <b>Relative density</b>                             | 1.0118   |
| <b>Solubility(ies)</b>                              | Not available.   |
| <b>Auto-ignition temperature</b>                    | Not available.   |
| <b>Decomposition temperature</b>                    | Not available.   |
| <b>Viscosity</b>                                    | Not available.   |
| <b>Other information</b>                            |  |
| <b>Heat of combustion</b>                           | 3.6 kJ/g   |

---

## 10. Stability and reactivity

---

|   |  |
|---|--|
| <b>Reactivity</b>                         | Reacts vigorously with acids.  |
| <b>Possibility of hazardous reactions</b> | No dangerous reaction known under conditions of normal use.  |
| <b>Chemical stability</b>                 | Material is stable under normal conditions.  |
| <b>Conditions to avoid</b>                | Reacts violently with strong acids. This product may react with oxidizing agents. Do not mix with other chemicals. |
| <b>Incompatible materials</b>             | Oxidizing agents. Acids.   |
| <b>Hazardous decomposition products</b>   | May include and are not limited to: Oxides of carbon. Oxides of nitrogen. Hydrogen chloride.                       |

## 11. Toxicological information

**Routes of exposure** Eye, Skin contact, Inhalation, Ingestion.

### Information on likely routes of exposure

**Ingestion** May cause stomach distress, nausea or vomiting.

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** Not expected to be a primary skin irritant.

**Eye contact** Causes serious eye irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

### Information on toxicological effects

#### Acute toxicity

| Components   | Species       | Test Results                    |
|--|---------------|---------------------------------|
| Diethylene glycol monobutyl ether (CAS 112-34-5)   |               |                                 |
| <b>Acute</b>   |               |                                 |
| <i>Dermal</i>  |               |                                 |
| LD50   | Rabbit        | 2764 mg/kg, 24 Hours, ECHA      |
| <i>Inhalation</i>  |               |                                 |
| LC50   | Not available |                                 |
| <i>Oral</i>  |               |                                 |
| LD50   | Mouse         | 2410 mg/kg, ECHA                |
| n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18) dimethyl benzyl ammonium chlorides (CAS 68391-01-5) |               |                                 |
| <b>Acute</b>   |               |                                 |
| <i>Dermal</i>  |               |                                 |
| LD50   | Rat           | 1420 mg/kg, HSDB                |
| <i>Inhalation</i>  |               |                                 |
| LC50   | Not available |                                 |
| <i>Oral</i>  |               |                                 |
| LD50   | Mouse         | 150 mg/kg, HSDB                 |
|  | Rat           | 300 mg/kg, HSDB                 |
|  |               | 240 mg/kg, HSDB                 |
| n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides (CAS 85409-23-0)            |               |                                 |
| <b>Acute</b>   |               |                                 |
| <i>Dermal</i>  |               |                                 |
| LD50   | Not available |                                 |
| <i>Inhalation</i>  |               |                                 |
| LC50   | Not available |                                 |
| <i>Oral</i>  |               |                                 |
| LD50   | Not available |                                 |
| Petroleum gases, liquefied, sweetened (CAS 68476-86-8)   |               |                                 |
| <b>Acute</b>   |               |                                 |
| <i>Dermal</i>  |               |                                 |
| LD50   | Not available |                                 |
| <i>Inhalation</i>  |               |                                 |
| LC50   | Rat           | 1442738 mg/m3, 10 Minutes, ECHA |
|  |               | 1443 mg/L, 10 Minutes, ECHA     |
| <i>Oral</i>  |               |                                 |
| LD50   | Not available |                                 |
| Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8)   |               |                                 |
| <b>Acute</b>   |               |                                 |
| <i>Dermal</i>  |               |                                 |
| LD50   | Not available |                                 |

| Components  | Species  | Test Results            |
|---|--|-------------------------|
| <i>Inhalation</i>   |  |                         |
| LC50  | Not available  |                         |
| <i>Oral</i>   |  |                         |
| LD50  | Rat  | 1780 - 2000 mg/kg, ECHA |
| <b>Skin corrosion/irritation</b>                                      | Not expected to be a primary skin irritant.  |                         |
| <b>Exposure minutes</b>   | Not available.   |                         |
| <b>Erythema value</b>   | Not available.   |                         |
| <b>Oedema value</b>   | Not available.   |                         |
| <b>Serious eye damage/eye irritation</b>                              | Causes serious eye irritation.   |                         |
| <b>Corneal opacity value</b>  | Not available.   |                         |
| <b>Iris lesion value</b>  | Not available.   |                         |
| <b>Conjunctival reddening value</b>                                   | Not available.   |                         |
| <b>Conjunctival oedema value</b>                                      | Not available.   |                         |
| <b>Recover days</b>   | Not available.   |                         |
| <b>Respiratory or skin sensitization</b>                              |  |                         |
| <b>Respiratory sensitization</b>                                      | Not available.   |                         |
| <b>Skin sensitization</b>   | This product is not expected to cause skin sensitization.  |                         |
| <b>Mutagenicity</b>   | No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic. |                         |
| <b>Carcinogenicity</b>  | This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.                                   |                         |
| <b>OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)</b> | Not listed.  |                         |
| <b>Reproductive toxicity</b>  | This product is not expected to cause reproductive or developmental effects.                                     |                         |
| <b>Teratogenicity</b>   | Not available.   |                         |
| <b>Specific target organ toxicity - single exposure</b>               | Not classified.  |                         |
| <b>Specific target organ toxicity - repeated exposure</b>             | May cause damage to organs through prolonged or repeated exposure.   |                         |
| <b>Aspiration hazard</b>  | Not likely, due to the form of the product.  |                         |
| <b>Chronic effects</b>  | Prolonged inhalation may be harmful.   |                         |

## 12. Ecological information

|  |   |   |                          |
|--|---|---|--------------------------|
| <b>Ecotoxicity</b>                                     | See below   |   |                          |
| <b>Ecotoxicological data</b>                           |   |   |                          |
| <b>Components</b>                                      | <b>Species</b>  | <b>Test Results</b>                     |                          |
| Diethylene glycol monobutyl ether (CAS 112-34-5)       |   |   |                          |
| Crustacea  | EC50  | Daphnia                                 | 2850 mg/L, 48 Hours      |
| <b>Aquatic</b>   |   |   |                          |
| Fish   | LC50  | Bluegill ( <i>Lepomis macrochirus</i> ) | 1300 mg/L, 96 hours      |
| Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8) |   |   |                          |
| Algae  | EC50  | Algae                                   | 1.01 mg/L, 72 Hours      |
| <b>Aquatic</b>   |   |   |                          |
| Crustacea  | EC50  | Water flea ( <i>Daphnia magna</i> )     | 610 mg/L, 24 hours       |
| Fish   | LC50  | Bluegill ( <i>Lepomis macrochirus</i> ) | 472 - 500 mg/L, 96 hours |
| <b>Persistence and degradability</b>                   | No data is available on the degradability of this product.  |   |                          |
| <b>Bioaccumulative potential</b>                       | No data available.  |   |                          |
| <b>Mobility in soil</b>                                | No data available.  |   |                          |
| <b>Mobility in general</b>                             | Not available.  |   |                          |
| <b>Other adverse effects</b>                           | No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component. |   |                          |

---

### 13. Disposal considerations

---

|  |   |
|--|---|
| <b>Disposal instructions</b>                 | CONTAINER DISPOSAL: Nonrefillable container. Do not reuse empty container. Do not puncture or incinerate.<br>IF EMPTY: Place in trash or offer for recycling if available. IF PARTLY FILLED: Call your local waste agency for disposal instructions.<br><br>Consult authorities before disposal. Contents under pressure. Do not puncture, incinerate or crush. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations. |
| <b>Local disposal regulations</b>            | Dispose in accordance with all applicable regulations.  |
| <b>Hazardous waste code</b>                  | The waste code should be assigned in discussion between the user, the producer and the waste disposal company.  |
| <b>Waste from residues / unused products</b> | Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).  |
| <b>Contaminated packaging</b>                | Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.  |

---

### 14. Transport information

---

**Transport of Dangerous Goods (TDG) Proof of Classification** Classification Method: Classified as per Part 2, Sections 2.1 – 2.8 of the Transportation of Dangerous Goods Regulations. If applicable, the technical name and the classification of the product will appear below.

**U.S. Department of Transportation (DOT)**

**Basic shipping requirements:**

|                             |  |
|-----------------------------|--|
| <b>UN number</b>            | UN1950   |
| <b>Proper shipping name</b> | Aerosols, non-flammable, (each not exceeding 1 L capacity) |
| <b>Hazard class</b>         | Limited Quantity - US                                      |
| <b>Packaging exceptions</b> | <1L - Limited Quantity                                     |
| <b>Packaging non bulk</b>   | None   |
| <b>Packaging bulk</b>       | None   |

**IATA/ICAO (Air)**

**Basic shipping requirements:**


|                             |                         |
|-----------------------------|-------------------------|
| <b>UN number</b>            | UN1950                  |
| <b>Proper shipping name</b> | Aerosols, non-flammable |
| <b>Hazard class</b>         | Limited Quantity - IATA |
|                             | <1L - Limited Quantity  |

**IMDG (Marine Transport)**

**Basic shipping requirements:**

|                             |                         |
|-----------------------------|-------------------------|
| <b>UN number</b>            | UN1950                  |
| <b>Proper shipping name</b> | AEROSOLS                |
| <b>Hazard class</b>         | Limited Quantity - IMDG |
|                             | <1L - Limited Quantity  |

**DOT; IMDG**





## 15. Regulatory information

### Canadian federal regulations

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II). This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, or any consumer product as defined in section 2 of the Canada Consumer Product Safety Act. This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

Exempt - Registered product - (DIN Pending).

### Canada CEPA Schedule I: Listed substance

Petroleum gases, liquefied, sweetened (CAS 68476-86-8) Listed.

### Export Control List (CEPA 1999, Schedule 3)

Not listed.

### Greenhouse Gases

Not listed.

### Precursor Control Regulations

Not regulated.

### WHMIS 2015 Exemptions

Not applicable

### US federal regulations

This is an EPA registered product. This material can only be used commercially in the EPA registered application(s) noted on the product label.  
EPA Reg. # 1839-84-65516

PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS.  
WARNING

KEEP OUT OF THE REACH OF CHILDREN. Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

Contents under pressure. Do not puncture. Do not use or store near open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

### CERCLA Hazardous Substance List (40 CFR 302.4)

Diethylene glycol monobutyl ether (CAS 112-34-5) Listed.

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance No

SARA 311/312 Hazardous chemical Yes

Classified hazard categories Gas under pressure  
Serious eye damage or eye irritation  
Specific target organ toxicity (single or repeated exposure)



**SARA 313 (TRI reporting)**

| Chemical name                     | CAS number | % by wt. |
|-----------------------------------|------------|----------|
| Diethylene glycol monobutyl ether | 112-34-5   | 1-5      |

**Other federal regulations****Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List**

Diethylene glycol monobutyl ether (CAS 112-34-5)

**Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)**

Not regulated.

**US state regulations**

See below

**US - Illinois Chemical Safety Act: Listed substance**

Diethylene glycol monobutyl ether (CAS 112-34-5)

**US - Louisiana Spill Reporting: Listed substance**

Diethylene glycol monobutyl ether (CAS 112-34-5) Listed.

**US - Texas Effects Screening Levels Hazard Data: Simple asphyxiant**

Petroleum gases, liquefied, sweetened (CAS 68476-86-8)

**US - Texas Effects Screening Levels: Listed substance**

Diethylene glycol monobutyl ether (CAS 112-34-5) Listed.

n-Alkyl (68% C12, 32% C14) dimethyl ethylbenzyl ammonium chlorides (CAS 85409-23-0) Listed.

Petroleum gases, liquefied, sweetened (CAS 68476-86-8) Listed.

Tetrasodium ethylenediamine tetraacetate (CAS 64-02-8) Listed.

**US. New Jersey Worker and Community Right-to-Know Act**

Diethylene glycol monobutyl ether (CAS 112-34-5)

**US. Pennsylvania Worker and Community Right-to-Know Law**

Diethylene glycol monobutyl ether (CAS 112-34-5)

**US. California Proposition 65**

This product is not subject to warning labeling under the California Proposition 65 regulation.

**Inventory status**


| Country(s) or region        | Inventory name                                | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Canada                      | Domestic Substances List (DSL)                | No                     |
| Canada                      | Non-Domestic Substances List (NDSL)           | Yes                    |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory | Yes                    |

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**16. Other information**

| LEGEND   |   |
|----------|---|
| Severe   | 4 |
| Serious  | 3 |
| Moderate | 2 |
| Slight   | 1 |
| Minimal  | 0 |

|                            |     |
|----------------------------|-----|
| <b>HEALTH</b>              | / 2 |
| <b>FLAMMABILITY</b>        | 0   |
| <b>PHYSICAL HAZARD</b>     | 0   |
| <b>PERSONAL PROTECTION</b> | X   |

**Disclaimer**

The information in the sheet was written based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.

**Issue date**

16-September-2020

**Version #**

01

**Effective date**

16-September-2020

**Prepared by**

Nu-Calgon Technical Service Phone: (314) 469-7000

**Further information**

Not available.

**Other information**

For an updated SDS, please contact the supplier/manufacturer listed on the first page of the document.